

The Pro Platform® “De-Shock” Hitting System provides the truest ball flight of any synthetic golf mat!



Pro Platform® can easily convert from a single side to a double side.

Above System:
Two Sided with Deluxe Trainer Stance Mat & Deluxe Trainer NexTurf Hitting Surface.
GF-PPNDD2S


Molded rubber frame components are held together by an underside interlock.

Generous sized 20” W x 40”L Hitting Surface.


Flexible black plastic range ball tray holds up to 95 balls. **GF-PPRBT**




Premium Turf 55 oz Knitted Nylon 6.6 w/ De-Shock Pad 11.5 lbs




NexTurf Dual-Fiber Knitted Nylon 6 Turf w/ De-Shock Pad 11.5 lbs



Tee-Shot Tall Fiber Tufted Nylon 6 Turf w/ Rubber Pad 17 lbs



PRO PLATFORM[®] MODULAR GOLF MAT SYSTEMS



Above: Premium Stance Mat with NexTurf Dual-Fiber De-Shock Hitting Surface **GF-PPN1S**

Above: Premium Stance Mat with Premium Turf De-Shock Hitting Surface **GF-PP1S**

Premium Turf De-Shock Hitting Surface	One-Sided	Two-Sided
All Green Stance & Hitting Surface	GF-PP1S	GF-PP2S
...With Deluxe Trainer Stance Mat	GF-PPD1S	GF-PPD2S
and With Deluxe Trainer Hitting Mat	GF-PPDD1S	GF-PPDD2S
NexTurf Dual-Fiber De-Shock Hitting Surface		
All Green Stance & Hitting Surface	GF-PPN1S	GF-PPN2S
...With Deluxe Trainer Stance Mat	GF-PPND1S	GF-PPND2S
and with Deluxe Trainer Hitting Mat	GF-PPNDD1S	GF-PPNDD2S
Tee-Shot Tall Fiber Hitting Surface		
All Green Stance & Hitting Surface	GF-PPT1S	GF-PPT2S
...With Deluxe Trainer Stance Mat	GF-PPTD1S	GF-PPTD2S

All Pro Platform[®] Stance Mats & De-Shock Hitting Surfaces Incorporate 9 lb Density Closed-Cell Rubber Foam Shock Pads & Feature the Superior ProTurf[®] Lamination System. THEY ARE EXTREMELY DURABLE!

DE-SHOCK HITTING SURFACE UNDERSIDE



40" L x 20" W x 1 7/8" H
3/4" thick foam pad w/ 3/8" shock pads.

INTERLOCKING RUBBER HITTING FRAME



49" L x 22" W x 1 3/4" H
GF-PPRM 28 lbs

RUBBER STANCE FRAME



49" L x 41" W x 1 3/4" H
GF-PPRS 62 lbs

DELUXE TRAINER STANCE/HITTING MAT



46 1/2" x 46 1/2" x 1 1/8"
GF-FBDTSM 20 lbs
All-Green Premium Stance Hitting Mat
GF-FBSM 20 lbs

UPGRADE YOUR EXISTING SYSTEM WITH QUALITY PRO PLATFORM[®] COMPONENTS

Premium De-Shock Insert

GF-FBDSL 12" x 46" x 1 7/8" 8 lbs

NexTurf De-Shock Insert

GF-FBNDSL 12" x 46" x 1 7/8" 7 lbs

Tee-Shot Tall Fiber Insert


GF-FBTSL 12" x 46" x 1 7/8" 12 lbs

Soft-Hit Tall Turf Fiber Insert

GF-FBSHS 12" x 35" x 1 5/8" 9 lbs

GF-FBSHL 12" x 46" x 1 5/8" 12 lbs

STANDARD TEE DIVIDER



GD-STDIV 52"L x 34"H 16 lbs

Constructed of tubular aluminum with 1/2" x 7" bases and 3/8" support bar. Fabric is double hemmed with a rope insert for extra stability and rugged performance. Standard is open-mesh dark green fabric. Open-mesh available in blue - red - light green - dark green.

MULTI-PURPOSE TEE DIVIDER



GD-MPDIV 50"L x 28"H 6 lbs

Features removable turf spikes for use on natural grass tee-lines or can be bolted down permanently. Provides protection for golfers and clearly controls where you want the golfer to hit from. Steel frame with Dark Green fabric screen mesh.

HEAVY DUTY TEE DIVIDER

The most durable tee divider available. Constructed of #9 expanded metal screen welded to a 2" tubular metal frame. Fluted at the front to ensure no balls will ricochet back. After fabrication the divider is dipped in liquid vinyl for the most durable finish available. Optional bag stand and cup holder. Available in green or black. 5 Year Warranty.

GD-HDDIV	60"L x 33"H	48 lbs
GD-HDDIVBS	Bag Stand Attachment	3 lbs
GD-HDDIVBH	Beverage Holder	1.5 lbs



e-range ELECTRONIC RANGE SYSTEM



- ◆ **Memory Chip Technology**
 - Reusable Thousands of Times
 - E-Key or Advertising Key Ring



- ◆ **Versatile for any use**
 - Practice/Driving Range - Golf Course - Resort
- ◆ **Range Management Software Options**
 - No Wire To Dispenser Needed
 - Four Versions to Fit Your Needs
 - See Separate Sheet for Details
- ◆ **Features Available**
 - Load and Revalue at Point of Sale
 - Issue and Maintain Customer Accounts
 - Void Lost or Stolen Keys (Accounts)
 - Line Report For Sales By Customer or Employee
 - Graphs For Tracking Usage By Week or Month
- ◆ **Optional Pin Number Feature**
 - Issued For Single Purchase
 - Eliminates Tokens
- ◆ **Retrofit Any Dispenser**

TWISTER RANGE BALL WASHERS

ECONOMICAL & TROUBLE FREE UNITS DESIGNED FOR HEAVY USE

- ◆ Heavy duty nylon brush rotates inside patented plated-steel spiral.
 - small rocks, sediment & broken balls fall through
 - ball abrasion is minimal compared to many closed system washers
 - ball jams are minimized or non-existent
- ◆ Heavy gauge steel construction for long term strength and durability.
 - Tanks are hot-dip galvanized after fabrication
- ◆ Removable top for easy access with electrical safety disconnect to prevent contact with moving brush.
- ◆ Legs are designed for easy addition of castor wheels for mobility.
- ◆ All nuts & bolts are nylock and can't vibrate loose.
- ◆ Sealed waterproof motors.
- ◆ Stainless steel brush shaft.
- ◆ Easy access drain ports.

TWISTER 3

ORIGINAL TWISTER



Twister's Open Spiral Design

1000's of units in service. The workhorse for smaller volume facilities. Built-in design to ensure hands free continuous ball feed. U.P.S. Shippable.

- ◆ 12' of washing action
 - ◆ 15,000 balls per hour
 - ◆ 7.5 gallon tank
 - ◆ 1/3 HP Commercial Motor
- GW-T10A** 105 lbs



Built-in quality design for the Twister 3 high-capacity commercial washer. New dual-length nylon brush ensures thorough cleaning of the entire ball as it rotates 360 degrees during cleaning cycle.

- ◆ 20' of washing action
 - ◆ 19,000 balls per hour
 - ◆ 15 gallon tank
 - ◆ 1/2 HP Gear Motor
- GW-T30A** 185 lbs

REPLACEMENT PARTS

All parts are easy to replace. Parts stocked for Twister and Twister 3. Listed below are the most common parts.

GW-T108	Twister Brush with Shaft	7 lbs
GW-T110	Twister Brush only	3.5 lbs
GW-T107	Twister Bearing	0.5 lbs
GW-T307	Twister 3 Brush with Shaft	21 lbs
GW-T309	Twister 3 Brush only	16 lbs
GW-T306	Twister 3 Bearing	0.5 lbs



Twister 3 Chain Drive



Low RPM - High Torque Industrial Motor used on Twister 3

TWISTER 3 WASHER WITH BUILT IN LOADER

A new concept in ball loading. With the flip of a switch, it automatically cleans and transports your range balls to the dispenser or storage area. The patented loader has only one moving part.

- ◆ Soft composite material on loader wheel.
- ◆ Timer switch turns machine off automatically.
- ◆ Uses 2" PVC pipe to move balls up to 9' high (not supplied).
- ◆ **20' of washing action** ◆ **19,000 balls per hour**
- ◆ **15 gallon tank**

GW-T370L Twister 3 Brush with Loader Shaft 22 lbs
GW-T317L Replacement Loader Wheel 2 lbs



GW-T30L 195 lbs

RANGELAND RANGE BALL DISPENSERS

GET CONTROL OF YOUR BALL SALES WITHOUT A LOT OF EXPENSE

Our Ball Dispenser features a reliable dispensing mechanism that allows you to program exactly how many balls you want to dispense for each token. You can change the amount of balls dispensed at any time in just seconds.



GH-RL100 5000 balls




The staggered tines on the dispensing mechanism deliver one ball at a time according to the time the vend motor turns. A relay timer can be dialed up or down in increments of 1/100 of a second.

The Seiko High Security Token Mechanism is used on all of our dispensers. This mechanism is so reliable we have never received a report from any customers having found a slug or another facility's token in their machine.

CODE	BALLS	SIZE	WEIGHT
GH-RL100	5,000	37"L x 31"W x 54 1/2"H	375 lbs
GH-RL100L	10,000	37"L x 31"W x 78"H	425 lbs
GH-RLHSM		High Security Token Mech.	4 lbs
GH-RLHST		500 High Security Tokens	8 lbs

SPECIFICATIONS	
SPEED	Up to 9 balls per second
TOKENS	Seiko High Security - 0.837" - 0.917" - 0.984"
CONSTRUCTION	Aluminum Frame w/18 Gauge Gal. Steel Cabinet w/ Powder Coat Green Finish
WARRANTY	1 year on all components

INNOVATOR RANGE BALL PICKERS



Innovator 5 Gang
Innovator 3 Gang

GP-IN5
GP-IN3

15' 10" wide
9' 6" wide

3000 balls
1800 balls

575 lbs
360 lbs

ALL INNOVATOR PICKERS ARE MADE TO LAST!

- ◆ Thermoplastic alloy compound increases flexibility and extends disc life (35% denser than previous material).
- ◆ Heavier plating minimizes chipping and rust problems.
- ◆ Large, lubricated, steel yoke barrels provide a solid nine inches of surface to minimize wear. No bearings or bushings to replace.
- ◆ Drum frames formed with rounded corners to increase strength and minimize damage to netting, fences, yardage markers and trees.
- ◆ Adjustable axle brackets eliminate the need to add washers and spacers as required on other units.
- ◆ No front or side wheels. Eliminates the constant maintenance and down time associated with unnecessary tires, wheels, and bearings.
- ◆ Steel tubing is virtually indestructible and designed to allow easy access to ball baskets.
- ◆ Modular construction facilitates the maintenance and/or replacement of all parts individually (bolt on, no welding).

STANDARD INNOVATOR SERIES

- ◆ 12" Diameter Discs
- ◆ 3" x 1" Steel Frame

INNOVATOR PLUS SERIES

New 14" Diameter Discs

- ◆ 14" diameter disc decreases wear and turf damage and increases maneuverability, and ground clearance.

New Split Drums


- ◆ Allows use of longer five-foot drum sections. Increases maneuverability and turn radius. Actually turns and rolls easier than old three foot drums.

New Slip Discs

- ◆ Molded high impact slip discs at the center and ends of drum sections eliminates friction and wear and increases maneuverability and drum life.
- ◆ 3" x 1 1/2" Steel Frame

ALL INNOVATOR PICKERS ARE DESIGNED TO BACK UP!


INNOVATOR RANGE BALL PICKERS



Innovator Plus 3 Gang	GP-INP3	15' wide	2700 balls	475 lbs
Innovator Plus 5 Gang	GP-INP5	25' wide	4500 balls	750 lbs
Innovator Plus 1 Gang	GP-INP1	5' wide	900 balls	180 lbs

INNOVATOR REPLACEMENT DRUM SECTIONS

Thermoplastic alloy compound discs are available for Innovator Pickers and most other manufacturers. **Disc Breakage Warranty for useable life of disc.**



GP-IN19	23 Disc Innovator	26 lbs
GP-INP19	34 Disc Innovator Plus (14" diam.)	50 lbs
GP-RD01	21 Disc Easy Picker	24 lbs
GP-RD03	34 Disc Wittek (with axle)	40 lbs
GP-RD04	22 Disc Wittek (with axle)	29 lbs
GP-RD07	21 Disc Hollrock (with axle & bushings)	28 lbs
GP-RD08	34 Disc Hollrock (with axle & bushings)	40 lbs

CART PROTECTOR (RANGER)



Perfect for the driving range or course marshall. Eliminates the need for heavy, expensive metal cages. Small mesh stops golf ball penetration with extra driver side reinforcement.

GP-CARTPRO 9 lbs

MINI PICKER



Great for those high volume areas you can't use your standard picker on. Constructed of 1" square steel.

Mini Picker

GP-MP01 300 balls 46 lbs

Double Mini Picker

GP-MPX1 600 balls 75 lbs

BAG SHAGS



GP-BSR Ranger Bag Shag
100 balls

GP-BST Bag Shag Tube
GP-BS Original Bag Shag

HEXNET BALL BARRIER NETTING

SUPERIOR KNITTED OLEFIN NETTING WHICH MAINTAINS ITS BREAK-STRENGTH



SUPERIOR BUILT-IN FEATURES


- ◆ U.V. stabilizers built into the polymer at the yarn extrusion process. Netting is more impervious to sunlight, water, chemicals & other severe deteriorating conditions.
- ◆ Factory machine knitted stress-proof perimeter roping offers superior wear points against wind and other severe conditions. Field installation is faster utilizing breaching snaps.
- ◆ Wet Strength vs. Dry Strength - 100%.
- ◆ Percentage of water absorption - zero.
- ◆ Excellent resistance to breaking over the life of the netting.

HEAVY WEIGHT BARRIER NETTING

- ◆ Our standard for many years
- ◆ **Breaking strength of 95 lbs**

GN-HW975	6 1/2' x 150'	17 lbs
GN-HW2500	25' x 100'	50 lbs
GN-HW3750	25' x 150'	65 lbs
GN-HW7500	50' x 150'	126 lbs

**5 yr.
Limited
Warranty**



Factory Knitted Stress-Proof Perimeter on Hexnet Netting.


STANDARD WEIGHT BARRIER NETTING

- ◆ A more cost effective solution to meet budget restraints on any size project.
- ◆ **Breaking strength of 65 lbs**


GN-SW975	6 1/2' x 150'	16 lbs
GN-SW2500	25' x 100'	43 lbs
GN-SW3750	25' x 150'	56 lbs

**3 yr.
Limited
Warranty**

INSTALLATION SUPPLIES AVAILABLE



Semi-Auto Hog Ring Stapler



Turnbuckle, Clips & Thimble

GN-25CC	1/4" Coated Cable x 500'
GN-33CC	5/16" Coated Cable x 500'
GN-TBS	3/8" x 6" Turnbuckle
GN-TBL	1/2" x 12" Turnbuckle
GN-WRC	1/4" or 5/16" Cable Clip
GN-WRT	1/4" or 5/16" Cable Thimble
GN-P7	Semi-Auto Hog Ring Stapler
GN-HRS	Box of 2500 Hog Ring Staples
GN-SBS	3/16" x 2 1/4" Steel Breaching Snaps
GN-SCS	1/4" x 3" Steel Carabiner Snaps

PROPER INSTALLATION IS PARAMOUNT IN DETERMINING THE LIFE OF YOUR NETTING

CUSTOM BALL BARRIER NETTING

Tomko Sports now offers custom size range netting. There are two types of netting available. Fabrication is the same for all custom range nets.

OUR FABRICATION SKILLS ARE EXCELLENT!

NET MATERIAL: 1" x 1" Polyester 105 lb Break Strength
1" x 1" Polyester 135 lb Break Strength

PERIMETER ROPE: 3/8" Black Multifilament polypropylene with a parallel polyester core.
4500 lb Break Strength.

ALL ROPES ARE PRE-STRETCHED PRIOR TO PANEL FABRICATION

ATTACHMENT TWINE: #21 Black Braided Polyester. 550 lb Break Strength.

All corners have 8" loops of perimeter rope.

NET IS LACED AT EVERY MESH & TIED OFF EVERY FOOT

INSTALLATION TOOL RENTAL PROGRAM * DO-IT-YOURSELF - SAVE \$1,000'S



Pneumatic Stapler & Staples, and Breaching Snaps

When you purchase Hexnet Barrier Netting you can rent our installation kit which includes a **Pneumatic Hog Ring Stapler & 300 Breaching Snaps**. This allows you to hang the netting in place with the breaching snaps and then use the pneumatic stapler to do the final secure install. Customer supplies compressor and air line. **GN-ITRP**

GN-PHRS Pneumatic Hog Ring Staples (10,000)

SINGLE HITTER GOLF CAGE - 10' W x 10' D x 10' H

OUR GOLF CAGE COMES COMPLETE OUT OF THE BOX READY TO ASSEMBLE!

- ◆ Frame is constructed of 3/4" steel tube with snap lock pins & includes all steel corner connectors & impact net support tube.
- ◆ Superior MFP knotless mesh is extruded color-fast black fiber with added UV inhibitors. It won't shrink or mildew and is fade resistant. Perimeter netting is 7/8" mesh with a 10' x 11' **Super Heavy Duty Impact Net** constructed of 3/8" mesh.
- ◆ Features a "**Super Flex**" Cage Design that captures and decelerates the hardest hit balls, while providing the maximum life of the netting.
- ◆ "**Accu-Drop**" System allows you to see if you sliced, hooked or hit the ball dead solid perfect without lifting your head like other systems.

GN-SHGH 99 lbs



HEAVY-DUTY FRAME OPTION

Our Single Hitter Golf Cage is now available with a larger 1-1/2" diameter steel tube frame for extreme use!

GN-SHGCH 130 lbs




Super H.D. Impact Net
GN-SHDIN 10 lbs



Steel Corner Connector

SHORT RANGE BANNER



24" x 34" reinforced, yellow vinyl banners with black numbers. Plastic uprights have steel tube insert. Ground sockets included. Available 50 - 300 in 25 yd increments.

GY-SRBC 5 lbs

TALL RANGE BANNER



4' x 14" nylon banners with plated steel frame that sets 14" into the ground. Available 75 - 300 in 25 yd increments.

GY-TRBC 6 lbs

BAG STAND



Durable bag stand made from 1" tubular powder-coated steel (green).

GA-BR01G 4 lbs

PRACTICE MIRROR



Adjusts from vertical to 60 degrees and can store flat. High quality UV-tolerant PVC frame. Shatterproof acrylic mirror with epoxy sealed edge. A full 2' x 4' with horizontal & vertical reference lines.

GA-PRAMRC 30 lbs

ULTRA RANGE BASKETS



Made of tough polyethylene that retains strength even in extreme temperatures. Stocked in Green color, Special order Yellow. 5 convenient sizes, plus a new 350 ball utility basket. **Warm-up 25 - Small 45 - Medium 75 - Large 105 - Jumbo 170 - Utility 350**

GB-ULTRA_

PLASTIC BALL PAILS



Economical approach to ball handling. Customer drills holes in bottom for moisture & debris.

Black 65 - White 125 - White 175

GB-PBP_



GY-RFLAG 24" x 18" Range Flag
GY-SSGA 8" Stay-Straight Anchor

RANGE BALLS



Range balls are quality grade reclaimed lake balls with no cuts. Red stripe is standard. Sold in boxes of 300.

GL-RLB 31 lbs

TITAN NEXTURF



NATURAL FEEL TURF MAT



Longer, denser dual-fiber knitted nylon NexTurf gives the ball a more natural lie for a softer feel and easier ball lift.




GM-TNTM Square - 34 lbs 8 Side - 29 lbs




ALL TITAN MATS CARRY A 12 MONTH PRORATED WARRANTY WITH FULL REPLACEMENT DURING THE FIRST 6 MONTHS OF USE.

TITAN CLASSIC

THE ORIGINAL RANGE MAT




Great combination of quality and value. Dense 55 oz knitted nylon 6 provides a tight ball lie for superior distance and improved accuracy.



GM-TCM Square - 33 lbs 8 Side - 28 lbs

PRO TEE SYNTHETIC TEE-LINE TURF



ProTee is an innovative synthetic turf designed specifically for driving range tee lines. It is the perfect solution for areas where natural grass is too difficult to maintain. ProTee allows golfers to hit down and through the ball.

- ◆ Accepts Wood Tees
- ◆ Plays Like Real Turf
- ◆ Very Low Maintenance
- ◆ Available in 12' & 15' Widths

GM-PTDL No sand or rubber infill required.
GM-PTSTL Requires 3 - 4 lbs per sq ft infill.



PROTURF®

PREMIUM GOLF PRACTICE MATS

PROTURF® ONLY USES FIRST RUN MATERIALS

- NO OFF SPEC FACTORY SECONDS -

- ◆ 1/2" H 55 oz Knitted Nylon 6.6
- ◆ Heaviest Protective Polyester Interface Scrim
- ◆ Superior Soft Glue Adhesive
- ◆ Full Size 60" Square or 60" 8 Sided
- ◆ Thicker 9 lb Density Closed-Cell Rubber Foam Shock Pad

ProTurf® Golf Mats have been the preferred choice of golf facilities for 15 years. The ProTurf® Premium Golf Mat is still the standard by which turf mats are judged. In 1998 the ProTurf® 2000, with an even thicker shock pad was introduced; it has become our number one seller. In 2000, 1/4" Foam Shock Discs were incorporated to create the most comfortable and realistic golf mat made - the ProTurf® De-Shock Mat.

ProTurf® Golf Mats provide at least 50% more useable life when compared to most other brands of All-Turf Mats!

ALL PROTURF® MATS CARRY AN 18 MONTH PRORATED WARRANTY WITH FULL REPLACEMENT DURING THE FIRST 12 MONTHS OF USE.




PROTURF® PREMIUM

GM-PRO .72" Thick Shock Pad
Square 32 lbs - 8 Side - 30 lbs



PROTURF® 2000

GM-PRO2000 .925" Thick Shock Pad
Square 43 lbs - 8 Side - 39 lbs



PROTURF® DE-SHOCK

GM-PRODS .925" Thick Shock Pad
comes with 1/4" Foam Shock Discs
Square 49 lbs - 8 Side - 43 lbs

**PROTURF® 2000 AND PROTURF® DE-SHOCK MATS
ARE NOW AVAILABLE WITH NEXTURF DUAL-FIBER TURF**

RUBBER TEES



Quality rubber tees are available in 10 sizes from 1 1/4" through 3 1/2" in 1/4" increments.

GT-RT_



Wood Tee Holders are available in four standard types 3/4" - 1 1/16" - 1 3/8" - 1 7/8".

GT-WTH_

Super Tee Holder allows wood tee to release freely.
GT-SWTH